

L Number	Hits	Search Text	DB	Time stamp
1	30267	428/694\$ or 428/64.\$ or 428/65.\$ or 427/12\$ or 427/130 or 427/131 or 360/\$ and "near Infrared laser"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 11:47
2	9838	(428/694\$ or 428/64.\$ or 428/65.\$ or 427/12\$ or 427/130 or 427/131 or 360/\$ and "near Infrared laser") and carbon	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 11:47
3	416	((428/694\$ or 428/64.\$ or 428/65.\$ or 427/12\$ or 427/130 or 427/131 or 360/\$ and "near Infrared laser") and carbon) and Va	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 11:48
4	6	((428/694\$ or 428/64.\$ or 428/65.\$ or 427/12\$ or 427/130 or 427/131 or 360/\$ and "near Infrared laser") and carbon) and Va) and (Va same laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 11:49
5	0	((428/694\$ or 428/64.\$ or 428/65.\$ or 427/12\$ or 427/130 or 427/131 or 360/\$ and "near Infrared laser") and carbon) and Va) and ("near IR" same laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 11:49
6	8	((428/694\$ or 428/64.\$ or 428/65.\$ or 427/12\$ or 427/130 or 427/131 or 360/\$ and "near Infrared laser") and carbon) and ("near IR" same laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 11:53
7	2	428/694\$ and ("near IR" same laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 11:54
8	2	428/694\$ and ("near IR" with laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 12:35
9	493218	204/(192.2 or 192.3 or 192.35 or 192.34) and carbon and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 12:42
10	87845	(204/(192.2 or 192.3 or 192.35 or 192.34) and carbon and laser) and magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 12:51
11	1889	((204/(192.2 or 192.3 or 192.35 or 192.34) and carbon and laser) and magnetic) and BUMP	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 12:51
12	378	((204/(192.2 or 192.3 or 192.35 or 192.34) and carbon and laser) and magnetic) and BUMP) and (IR or infrared)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 12:53
13	248191	427/("127" or "130" or "131") and ("near ir" or "near infrared")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 12:55
14	1315689	427/("127" or "130" or "131")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 12:56
15	1318314	(427/("127" or "130" or "131")) carbon and ("near ir" or "near infrared") and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 13:26
16	16242	((427/("127" or "130" or "131")) carbon and ("near ir" or "near infrared") and laser) and bump	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 13:27
17	1173259	264/("400" or "497")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 13:28

18	37	(264/("400" or "497")) and carbon and ("near ir" or "near infrared") and laser and bump	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 13:29
19	13	((428/694\$ or 428/64.\$ or 428/65.\$ or 427/12\$ or 427/130 or 427/131 or 360/\$ and "near Infrared laser") and carbon) and carbon and ("near ir" or "near infrared") and laser and bump	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/13 13:29
-	113263	(428/694\$ or 428/64.\$ or 428/65.\$ or 427/12\$ or 427/130 or 427/131 or 360/\$).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/28 13:38
-	3	"6299947" or "6483666"	USPAT	2004/04/28 12:16
-	901	"13" and sputter\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 12:17
-	3	("6299947" or "6483666") and sputter\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 13:29
-	0	(428/694\$or428/64.\$or428/65.\$or427/12\$or427/130or427/131or360/\$).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/28 13:38
-	75130	428/694\$ or 428/64.\$ or 428/65.\$ or 427/12\$ or 427/130 or 427/131 or 360/\$	USPAT	2004/04/28 13:39
-	3	("6299947" or "6483666") and (bump with laser)	USPAT; US-PGPUB	2004/04/28 14:10
-	278	(360/\$ or 369/\$) and (bump with laser)	USPAT; US-PGPUB	2004/04/28 14:17
-	38	((360/\$ or 369/\$) and (bump with laser)) and (laser same (IR or infrared))	USPAT; US-PGPUB	2004/04/28 14:22
-	9	((360/\$ or 369/\$) and (bump with laser)) and (laser same (IR or infrared))) and (carbon same laser)	USPAT; US-PGPUB	2004/04/28 14:41
-	0	"09947287"	US-PGPUB	2004/04/28 14:41
-	1	"09/947287"	US-PGPUB	2004/04/28 14:42
-	2	"6669986"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/05 15:10
-	2	"20020192502"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/05 15:17
-	1	"6483666"	USPAT	2004/05/12 14:15
-	2	"6299947"	USPAT	2004/05/12 14:16
-	56	264/428	USPAT	2004/05/12 14:39
-	16	264/428 and carbon	USPAT	2004/05/12 14:39
-	19	264/428 and carbon	USPAT; US-PGPUB; EPO; JPO	2004/05/12 14:43
-	91	264/482 and carbon	USPAT; US-PGPUB; EPO; JPO	2004/05/12 15:14
-	3802	427/130	USPAT; US-PGPUB; EPO; JPO	2004/05/12 15:15
-	257	427/130 and laser	USPAT; US-PGPUB; EPO; JPO	2004/05/12 15:15
-	117	(427/130 and laser) and carbon	USPAT; US-PGPUB; EPO; JPO	2004/05/12 15:15
-	16	((427/130 and laser) and carbon) and bump	USPAT; US-PGPUB; EPO; JPO	2004/05/12 15:39

-	469511	204/(192.2 or 192.3 or 192.34 or 192.35)	USPAT; US-PGPUB; EPO; JPO	2004/05/12 15:40
-	50463	(204/(192.2 or 192.3 or 192.34 or 192.35)) and laser	USPAT; US-PGPUB; EPO; JPO	2004/05/12 15:40
-	11714	((204/(192.2 or 192.3 or 192.34 or 192.35)) and laser) and carbon	USPAT; US-PGPUB; EPO; JPO	2004/05/12 15:41
-	332	((((204/(192.2 or 192.3 or 192.34 or 192.35)) and laser) and carbon) and bump	USPAT; US-PGPUB; EPO; JPO	2004/05/12 15:41
-	196	(((((204/(192.2 or 192.3 or 192.34 or 192.35)) and laser) and carbon) and bump) and magnetic	USPAT; US-PGPUB; EPO; JPO	2004/05/12 15:41
-	97	(((((204/(192.2 or 192.3 or 192.34 or 192.35)) and laser) and carbon) and bump) and magnetic) and (medium or media)	USPAT; US-PGPUB; EPO; JPO	2004/05/12 15:43

To See Subscription Identifier. Please click on What can I access and Login

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)



[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)



» [See](#)

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)

[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ [Home](#)
- ☐ [What Can I Access?](#)
- ☐ [Log-out](#)

Tables of Contents

- ☐ [Journals & Magazines](#)
- ☐ [Conference Proceedings](#)
- ☐ [Standards](#)

Search

- ☐ [By Author](#)
- ☐ [Basic](#)
- ☐ [Advanced](#)

Member Services

- ☐ [Join IEEE](#)
- ☐ [Establish IEEE Web Account](#)
- ☐ [Access the IEEE Member Digital Library](#)

Your search matched **0** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Title** in **Ascending** order.

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

= Your access to full-text

Results:

No documents matched your query.

[Print Format](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs


[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Magnetics, IEEE Transactions on

Accepted for future Publication

Issues of Year: 2004

[March 2004, Vol.40, Issue 2](#)[March 2004, Vol.40, Issue 2](#)[Jan. 2004, Vol.40, Issue 1](#)[Jan. 2004, Vol.40, Issue 1](#)

Other Years:

2003	2002	2001
2000	1999	1998
1997	1996	1995
1994	1993	1992
1991	1990	1989
1988	1987	1986
1985	1984	1983
1982	1981	1980
1979	1978	1977
1976	1975	1974
1973	1972	1971
1970	1969	1968
1967	1966	1965

For IEEE Members and Publication Subsc

To quickly search the abstract and citation records of this pu

1) Enter a keyword, phrase, or Boolean expression.

Example: acoustic imaging

Example: Jones and 1998

2) Click Search.

carbon and ("near ir" or "near infrared") and lase

Note: This function returns plural and suffixed forms of the l (s).

Publication Information:

[About this publication;](#)[IEEE Information for Authors;](#)[Additional Information for Authors;](#)**[Sponsoring IEEE Society/Societies:](#)**[IEEE Magnetics Society](#)

ACKNOWLEDGMENT:

Professor Fritz J. Friedlaender, Purdue University, generously donated the collection of IEEE Transactions on Magnetics, 1965-1987, that was used in


creating this digital archive. Professor Friedlaender was one of the founders of the IEEE Magnetics Group, later IEEE Magnetics Society. He served on its first Administrative Committee and as one of the first Assistant Editors of the Transactions. Professor Friedlaender is a Fellow of the IEEE.

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved



Choose Encyclopedia Topic

Search Results**Browse
Alphabetically**

- ☒ browse encyclopedia
☐ browse research updates
☐ browse dictionary

- ▶ Home
- ▶ All Biographies
- ▶ Student Center
- ▶ Image Gallery
- ▶ All Related Web Sites
- ▶ Headline News
- ▶ FAQs

Search Encyclopedia:

 Go

Search Dictionary:

 Go

▶ Advanced Search

You searched **near**
 for: **infrared**
 in: definition

Your search found **2** entries

Refine your search? Note: using
 AND, OR, and NOT will help.

1

Dictionary Terms

- D near-infrared radiation** [ELECTROMAGNETISM] Infrared radiation having a relatively short wavelength, between 0.75 and about 2.5 micrometers (some scientists place the upper limit from 1.5 to 3 micrometers), at which radiation can be detected by photoelectric cells, and which corresponds in frequency range to the lower electronic energy levels of molecules and semiconductors. Also known as photoelectric infrared radiation.
 { 'nir ·in·frə'red ·rā·d·ē'ā·shən }

Relevance Score: **0.08**

- D near-infrared spectrophotometry** [ANALYTICAL CHEMISTRY] Spectrophotometry at wavelengths in the near-infrared region, generally using instruments with quartz prisms in the monochromators and lead sulfide photoconductor cells as detectors to observe absorption bands which are harmonics of bands at longer wavelengths.
 { 'nir ·in·frə'red ·spek·trō·fə'tām·ə·trē }

Relevance Score: **0.08**

1

**Customer Privacy Notice**

Copyright ©2001-2003 The McGraw-Hill Companies. All rights reserved. Any use is subject to the [Terms of Use](#) and [Notice](#). [Additional credits](#) and copyright information. For further information about this site contact AccessScience@romnet.com. Last modified: Sep 30, 2003.

The McGraw-Hill Companies